#### **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

WO 97/15652 (51) International Patent Classification 6: (11) International Publication Number: A1 C11D 7/54, 17/00 1 May 1997 (01.05.97) (43) International Publication Date: (81) Designated States: AU, BR, CA, US. (21) International Application Number: PCT/US96/17069 (22) International Filing Date: 24 October 1996 (24.10.96) **Published** With international search report. Before the expiration of the time limit for amending the (30) Priority Data: claims and to be republished in the event of the receipt of US 27 October 1995 (27.10.95) 60/005,969 amendments. (71) Applicant (for all designated States except US): CLOROX COMPANY [US/US]; P.O. Box 24305, Oakland, CA 94623-1305 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): RADER, James, E. [US/US], 1781 Beachwood Way, Pleasanton, CA 94566 (US). MAINQUIST, William, K. [US/US]; 3824 Promenade Way, Pleasanton, CA 94566 (US). (74) Agents: KREBS, Robert, E. et al.; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313-1404

#### (54) Title: TOILET BOWL CLEANING TABLET

#### (57) Abstract

A cleaning formulation, in tablet form, capable of providing a metered release of cleaning active while immersed in the tank of a toilet. The tablet comprises greater than about 85 to 99 weight percent of a halohydantoin plus about 1 to 15 weight percent of a longevity aid comprising boric acid.

BEST AVAILABLE COPY

#### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL.	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IR	Ireland	NZ	New Zealand
BG	Bulgaria	İT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	<del></del>
BR	Brazil	KE	Kenya	RO	Portuga! Romania
BY	Belarus	KG	Kyrgystan	RU	
CA	Canada	KP	Democratic People's Republic		Russian Federation
CF	Central African Republic		of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
СН	Switzerland	KZ.	Kazakhstan	SG	Singapore
CI	Côte d'Ivoire	LL LL	Liechtenstein	SI	Slovenia
CM	Cameroon	LK		SK	Slovakia
CN	China		Sri Lanka	SN	Senegal
CS	Czechosłovakia	LR	Liberia	SZ	Swaziland
CZ	Czech Republic	LT	Lithuania	TD	Chad
DE	Germany	LU	Luxembourg	. TG	Togo
DK	Denmark	LV	Latvia	TJ	Tajikistan
EE	- ····· <del></del>	- MC	Monaco	TT	Trinidad and Tobago
ES	Estonia	MD	Republic of Moldova	UA	Ukraine
es FI	Spain Financia	MG	Madagascar	UG	Uganda
	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

WO 97/15652

20

25

## TOILET BOWL CLEANING TABLET

This application claims the benefit of U.S. Provisional Application Serial No. 60/005,969, October 27, 1995.

#### FIELD OF THE INVENTION

This invention relates to formulations for cleaning toilet bowls, and in particular to an in-tank toilet bowl tablet providing metered release of an active cleaning agent.

## **BACKGROUND OF THE INVENTION**

There are numerous compositions known to the art which can be

compressed or tableted, providing a tablet, block or similar article which may
be placed in the tank of a toilet and dispense cleaning active over a period of
time. Such tablets may consist of, or include various cleaning agents such as
bleaches, surfactants, disinfectants, and mixtures thereof. A particularly
preferred disinfecting agent is an organic halogen source, and a particularly
preferred family of organic halogen sources include halohydantoins.

Halohydantoins are particularly preferred for the purpose as they are well suited
to tableting and consequent slow release of halogen. Numerous prior art
discloses halohydantoin based cleaning tablets for various uses, including U.S.
4,427,692; 4,537,697 and 4,560,766, all to Girard.

One of the difficulties associated with toilet bowl cleaning tablets of the art has been to establish a uniform release of active halogen over a commercially feasible term, for example, of two to four months. While dichloro, methylethyl or dimethyl hydantoins can be compressed sufficiently to permit such a long term release, for reasons of formulation efficacy and economics, pure dichloro, methylethyl or dimethyl, or other halohydantoins are not preferred. However sufficient tablet longevity is hindered when such

15

20

25

tablets are not pure halohydantoin.

Accordingly, it is an object of the present invention to provide a composite tablet having longevity comparable to a pure halohydantoin tablet.

It is another object of the present invention to provide a composite tablet having cleaning performance comparable to that of a pure halohydantoin tablet.

#### **SUMMARY OF THE INVENTION**

The present invention is a cleaning formulation, in tablet form, capable of providing a metered release of cleaning active while immersed in the tank of a toilet.

In one aspect, the invention is directed to a cleaning tablet comprising a halohydantoin and boric acid wherein the halohydantoin comprises greater than about 85% (wt) to about 99% (wt) of the cleaning tablet.

In another aspect, the invention is directed to a method of dispensing uniform amounts of active halogens into a reservoir containing about 6 to 19 liters of water which is periodically flushed and replaced with fresh water which includes the steps of:

- a. placing a cleaning tablet which comprises a halohydantoin and boric acid into said reservoir wherein the halohydantoin comprises greater than about 85% (wt) to about 99% (wt) of the cleaning tablet and wherein active halogen is released from the tablet until the concentration of active halogens in the water is at a desired level of about 0.5 to 5 ppm;
- b. removing the water from the reservoir and replacing said reservoir with fresh water thereby activating the release of the active halogen from the tablet until the concentrate of active halogens in the water reaches said desired level; and
  - c. repeating step b until the tablet is essentially completely

10

15

20

25

dissolved, wherein the method is characterized in that the boric acid has a dissolution time of about 0.08 to 0.3 of the total tablet dissolution time.

Preferred halohydantoins are selected from the group consisting of N, N'-dichloro-dimethyl-hydantoin, N-bromo-N-chloro-dimethyl-hydantoin, N,N'-dibromo-dimethyl-hydantoin, 1,4 dichloro, 5,5-dialkyl substituted hydantoin, wherein each alkyl group independently has 1 to about 2 carbon atoms, and mixtures thereof.

Preferably, the cleaning tablet has a density of about 1.1 to 1.6 g/cm<sup>3</sup>. In addition, the cleaning tablet has a superficial surface area to weight ratio of about 1:1 to 2:1 (cm<sup>2</sup>/g).

#### BRIEF DESCRIPTION OF THE DRAWING

Fig. 1 is a graph of tablet dissolution rate for various ratios of hydantoin to boric acid.

#### DETAILED DESCRIPTION OF THE INVENTION

The toilet cleaning tablet or block of the present invention is a generally homogenous solid comprising an active halogen-releasing agent and a longevity aid. The halogen releasing agent releases the halogen when the block is in contact with water. Any such agents known heretofore can be used and it is preferred that such agents are N-halogenated organic compounds, including N, N'-dichloro-dimethyl-hydantoin, N-bromo-N-chloro-dimethyl-hydantoin, N, N'-dibromo-dimethyl-hydantoin. In the present invention, dialkyl substituted hydantoins and especially 1,4 dihalo, 5,5-dialkyl substituted hydantoins, are preferred. Preferred is a mixture of bromochloro dimethyl hydantoin (BCDMH), dichloro dimethyl hydantoin (DCDMH), and dichloro methyl ethyl hydantoin (DCMEH). For tableting purposes, DCDMH is preferred as it provides the longest residence time. These halohydantoins are available from Lonza Chemical, Fairlawn, N.J. Preferably the halohydantoins comprise

10

15

20

25

greater than about 85% (wt) to about 99% (wt) of the cleaning block, preferably about 90% (wt) to about 99% (wt), with the remainder comprising boric acid. Preferred tablets can comprise from about 5% (wt) to less than 15% (wt), preferably from about 7.5% (wt) to about 12.5% (wt), and more preferably from about 8% (wt) to about 12% (wt) of the boric acid.

It is known that solid halo-5,5-dialkyl substituted hydantoins dissolve slowly in water. Surprisingly, it was discovered that if a quantity of a boric acid longevity aid was added to the hydantoin mixture within a range of between about 5 and 10% based on the weight of the toilet cleaning block, and if the block was prepared such that it had a density falling within a particular range, namely 1.1 to 1.6 g/cm<sup>3</sup> and also if the ratio of superficial surface area (cm²) to weight (grams) fell within a certain range, namely about 1:1 (cm²/g) to 2:1 (cm<sup>2</sup>/g), the toilet cleaning block would release a controlled, substantially constant amount of halogen disinfecting agent within the range of 0.5-5 ppm over a period of 2 to about 4 months of constant contact with water. The tablet longevity aid must be water soluble, chemically inert, i.e. will have no effect on the solubility of the halohydantoin or halohydantoin mixture, and will completely dissolve in a much shorter time period than the halohydantoin. Preferably, the dissolution time for the longevity aid should be approximately 0.08 to 0.3, more preferably 0.1 to 0.15, of the dissolution time for the overall or total tablet. Stated alternatively, the longevity aid should completely dissolve in approximately 1-4 weeks, preferably 2-3 weeks, for a hydantoin tablet having an approximately 4 month longevity. Optionally compatible adjuncts such as colorants such as dyes, surfactants antimicrobial agents and fragrances may be added to the formulation subject only to the limitation that such adjuncts have substantially no effect on tablet dissolution rate. Although adjuncts can be included, preferred embodiments include tablets that consist essentially of the halohydantoin and basic boric acid.

10

15

20

25

5

The block will deliver a constant, uniform efficacious level of active halogen (0.5 to 5 ppm) for about 1000 - 2000 flushes with water having a temperature of about 50° to 70°F (10° to 21°C) and typically about 57°F (13.9°c) and will be completely dissolved at the end of its useful life, leaving no residue in the tank. A tank will typically hold about 3.5 gallons (about 13.2 liters) of water, although tank sizes vary, they typically have a capacity that ranges from about 6 to 19 liters. For household applications, the tablet preferably has a mass of at least about 25 grams and more preferably about 50-100 grams.

An important relationship between tablet surface area and tablet volume has been discovered. It has been found that with respect to dissolution of substantially pure halohydantoin tablets, there is a "superficial" surface area which is defined by the exterior topography of the tablet and does not include the interior surface area of the tablet. By "superficial" surface area is meant the geometric or exterior surface of the tablet and not its true surface area. For instance, if the tablet is cube-shaped, then the superficial surface area is calculated as 6 x s<sup>2</sup>, where s is the length of one side of the cube. It is the ratio of tablet superficial surface area (cm²) to tablet weight (grams) which is important in tablet longevity. The lower the ratio the greater the longevity, and the higher the ratio the shorter the longevity. It has been experimentally determined that a preferred ratio be between about 1:2 to 2:1 (cm²/g) and more preferably about 1.2:1 to 1.3:1 (cm<sup>2</sup>/g). Without intending to be bound by theory, it is the thought that when a halohydantoin tablet is exposed to water the tablet tends to "cement" together due to water of hydration and hydrogen bonding between particles of the organic bleach. Thus, when exposed to water the halohydantoin forms a matrix that dictates the superficial surface area.

The toilet cleaning tablet of the present invention is prepared by dry mixing the hydantoin and the boric acid, preferably in finely divided form, and an optional internal mold lubricant in the absence of added water. Any adjunct

WO 97/15652 PCT/US96/17069

5

10

15

20

6

materials are also added to the blend. An external lubricant may be used in the manufacturing process to help release the block from the mold. Any type of mixer such as a twin-shell, ribbon blender or similar type of mixer that is designed to provide a homogeneous admixture can be used. The particle size of the halohydantoin is preferably in the range of 10 to 60 US mesh and that of the boric acid is preferably in the range of 8 to 100 US mesh. The admixture is then transferred to the mold of a press, and pressure is applied sufficient to provide the desired density and effective surface area/weight ratio. The resultant mixture is a coherent solid which is resistant to internal water penetration and has a crush fracturing strength of about 25 to 100 pounds, preferably about 50 to 80 pounds. The strength was measured using an AMETEK force gauge testing device manufactured by the AMETEK Corporation. In order to obtain the desired properties, the pressure will vary depending on the particular chemicals employed and the particle sizes of the particulates.

#### **EXPERIMENTAL**

Without being bound to any particular theory, it has been demonstrated that adding up to about 10% boric acid is feasible without affecting the internal matrix structure that occurs when using 100% halohydantoin. The data also suggests that it may be feasible to use up to almost 15% boric acid. The more soluble boric acid will rapidly dissolve from the tablet leaving a remaining "matrix" of the halohydantoin. The result is that the dissolution behavior of the preferred composite tablet is very similar to that of a pure halohydantoin tablet due to similar matrices, yielding similar superficial surface to volume ratios.

As shown in Fig. 1 and in Table 1 below, a 15% boric acid tablet results in a loss of about 6 to 10% longevity, due to the different superficial surface area to weight ratios versus the control (100% halohydantoin). If the boric acid is increased beyond 15% the kinetics of tablet dissolution can be shown to markedly shorten tablet longevity. Fig. 1 is a graph showing the log

7

of percentage tablet remaining versus time (weeks) for two formulations of the present invention (5% and 10% boric acid) three formulations outside the present invention (15, 20 and 30% boric acid) and a 0% boric acid control. In each case, the tablet comprises halohydantoin plus the indicated level of boric acid. The tablets had a superficial surface area to weight ratio of about 1.25:1 (cm²/g). The data presented graphically in Fig. 1 is shown in Table 1 below.

TABLE 1
PERCENTAGE TABLET REMAINING

Tablet Composition	Time (Weeks)				
	1	2	3	4	5
A	86.5	71.8	59.7	48.9	37.7
В	85.9	71.1	59.0	48.4	37.8
C	83.4	67.1	54.4	43.5	32.4
D	81.0	63.3	49.7	38.8	27.3
E	75.8	53.9	38.4	24.4	12.1
F	89.5	75.3	61.9	50.3	38.4

15

20

25

10

A= 5% Boric Acid

B=10% Boric Acid

C=15% Boric Acid

D=20% Boric Acid

E=30% Boric Acid

F= 0% Boric Acid

The data from Table 1 above were obtained using the following protocol. Tablets each weighing 70 grams were compressed from appropriate amounts of halohydantoin and boric acid, on a Carver hand press using conventional tablet tooling consisting of a die and an upper and lower punch.

10

The resulting tablets measured about 5.0 cm in diameter and about 2.2 cm in height. The experimental tablets were placed in toilet tanks and flushed three to five times daily. The water temperature was maintained at about 70° (21°C) to 75°F (24°C) for the duration of the test. The tablets were checked daily for weight loss, which data was used to evaluate the longevity of the tablets.

The foregoing has described the principles, preferred embodiments and modes of operation of the present invention. However, the invention should not be construed as limited to the particular embodiments discussed. Instead, the above-described embodiments should be regarded as illustrative rather than restrictive, and it should be appreciated that variations may be made in those embodiments by workers skilled in the art without departing from the scope of the present invention as defined by the following claims.

WO 97/15652 PCT/US96/17069

#### WHAT IS CLAIMED IS:

- 1. A cleaning tablet comprising a halohydantoin and boric acid wherein the halohydantoin comprises greater than about 85% (wt) to about 99% (wt) of the cleaning tablet.
- The cleaning tablet of Claim 1 wherein the halohydantoin is selected from the group consisting of N, N'-dichloro-dimethyl-hydantoin, N-bromo-N-chloro-dimethyl-hydantoin, N,N'-dibromo-dimethyl-hydantoin, 1,4 dichloro, 5,5-dialkyl substituted hydantoin, wherein each alkyl group independently has 1 to about 2 carbon atoms, and mixtures thereof.
- 10 3. The cleaning tablet of Claim 1 wherein the boric acid comprises about 7.5% (wt) to about 12.5% (wt) of the tablet.
  - 4. The cleaning tablet of Claim 1 which consists essentially of halohydantoin and boric acid.
- 5. The cleaning tablet of Claim 4 wherein the boric acid comprises about 5% (wt) to 10% (wt) of the cleaning tablet.
  - 6. The cleaning tablet of Claim 2 which consists essentially of halohydantoin and boric acid.
  - 7. The cleaning tablet of Claim 6 wherein the boric acid comprises about 5% (wt) to 10% (wt) of the cleaning tablet.
- 20 8. The cleaning tablet of Claim 1 wherein the tablet has a density of about 1.1 to 1.6 (g/cm<sup>3</sup>).
  - 9. The cleaning tablet of Claim 1 wherein the tablet has a


20

superficial surface area to weight ratio of about 1:1 to 2:1 (cm<sup>2</sup>/g).

- 10. The cleaning tablet of Claim 8 wherein the halohydantoin comprises about 90% (wt) to 99% (wt) of the tablet.
- 11. The cleaning tablet of Claim 10 wherein the tablet has a mass of at least about 25 grams.
  - 12. A method of dispensing uniform amounts of active halogens into a reservoir containing about 6 to 19 liters of water which is periodically flushed and replaced with fresh water which comprises the steps of:
- a. placing a cleaning tablet which comprises a halohydantoin and boric acid into said reservoir wherein the halohydantoin comprises greater than about 85% (wt) to about 99% (wt) of the cleaning tablet and wherein active halogen is released from the tablet until the concentration of active halogens in the water is at a desired level of about 0.5 to 5 ppm;
  - b. removing the water from the reservoir and replacing said reservoir with fresh water thereby activating the release of the active halogen from the tablet until the concentrate of active halogens in the water reaches said desired level; and
    - c. repeating step b until the tablet is essentially completely dissolved, wherein the method is characterized in that the boric acid has a dissolution time of about 0.08 to 0.3 of the dissolution time of the total tablet.
    - 13. The method of Claim 12 wherein the boric acid comprises about 7.5% (wt) to about 12.5% (wt) of the tablet.
- 14. The method of Claim 12 wherein the halohydantoin is selected from the group consisting of N, N'-dichloro-dimethyl-hydantoin, N-bromo-N-chloro-dimethyl-hydantoin, N,N'-dibromo-dimethyl-hydantoin, 1,4 dichloro, 5,5-dialkyl substituted hydantoin wherein each alkyl group independently has 1

to about 2 carbon atoms, and mixtures thereof.

- 15. The method of Claim 12 wherein the cleaning tablet consists essentially of halohydantoin and boric acid.
- The method of Claim 15 wherein the boric acid comprises about
  5% (wt) to 10% (wt) of the cleaning tablet.
  - 17. The method of Claim 14 wherein the cleaning tablet consists essentially of halohydantoin and boric acid.
  - 18. The method of Claim 17 wherein the boric acid comprises about 5% (wt) to 10% (wt) of the cleaning tablet.
- 10 19. The method of Claim 12 wherein the tablet has a density of about 1.1 to 1.6 (g/cm<sup>3</sup>).
  - 20. The method of Claim 12 wherein the tablet has a superficial surface area to weight ratio of about 1:1 to 2:1 (cm<sup>2</sup>/g).
- 21. The method of Claim 19 wherein the halohydantoin comprises about 90% (wt) to 99% (wt) of the tablet.
  - 22. The method of Claim 21 wherein the tablet has a mass of at least about 25 grams.



### INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/17069

A CLA	OL LOWER A MON ON CIP IDET MATTER					
A. CLASSIFICATION OF SUBJECT MATTER  IPC(6) :C11D 7/54, 17/00						
IIS CI	-510/191, 192, 381, 382, 446, 465, 500; 252/187.33;	134/2,42				
According t	According to International Patent Classification (IPC) or to both national classification and IPC					
	DS SEARCHED					
	ocumentation searched (classification system followed					
	510/191, 192, 381, 382, 446, 465, 500; 252/187.33;					
Documentat	ion searched other than minimum documentation to the	extent that such documents are included	in the fields searched			
NONE						
Electronic d	ata base consulted during the international search (nar	ne of data base and, where practicable,	search terms used)			
APS, ST	Ň					
search te	erms: hydantoin, hálohydantoin, dimethylhydant	oin, boric acid, tablet, toilet or lava	story			
C. DOC	UMENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.			
X	US 5,338,461 A (JONES) 16 Augu	st 1994, abstract, col. 1,	1-11			
	lines 12-15, col. 3, lines 13-38.		<del></del>			
<b>∀</b> .			12-22			
	110 00144407 (101/F01) 40 A	1 1006 obstract page	1-22			
Y, P	WO 96/11167 (JONES et al) 18 A	pril 1990, abstract, page	1-22			
	1, lines 6-13, page 3, lines 1-19, p	Jage 5, lines 22-51, page				
	9, lines 1-6, Example 3.					
A	US 4,537,697 A (GIRARD) 27 Aug	oust 1985, see the entire	1-22			
	document.		,			
	·		_			
Α	US 4,677,130 A (PUZIG) 30 Jur	ne 1987, see the entire	1-22			
	document.					
			4 22			
A, E	US 5,578,559 (DOLAN et al) 26 I	November 1996, see the	1-22			
	entire document.					
Furth	ner documents are listed in the continuation of Box C.	See patent family annex.				
ers late document published after the international filling date or priority						
*A* document defining the general state of the art which is not considered principle or theory underlying the invention						
to be of particular relevance  "X"  document of particular relevance; the claimed invest  "E"  castier document published on or after the international filling date  considered novel or cannot be considered to involve as						
°I.° do	cument which may throw doubts on priority claim(s) or which is	when the document is taken alone				
cit		"Y" document of particular relevance; the considered to involve an inventive	micro where the document is			
	cument referring to an oral disclosure, use, exhibition or other	combined with one or more other such being obvious to a person skilled in th	documents, such combination			
"P" document published prior to the international filing date but later than "A." document member of the same patent family the priority date claimed						
Date of the actual completion of the international search  Date of mailing of the international search report						
17 JANUARY 1997 2 7 FEB 1997						
Name and mailing address of the ISA/US  Authorized officer						
Commission Box PCT	mer of Patents and Trademarks	C PAUL LIEBERMAN				
Washingto	a, D.C. 20231	Telephone No. (703) 308-2523				
Kassimila N	In (703) 305-3230	I EKERKUITE IAU. (100) 200-222				

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
П отнер.

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.